

Model	Brand	Name	JP1 Connector	Cable	Learning	Modem upgrade	Processor	EEPROM	IR	RM	KM	> 2k Support	Protocol	Extender	Devices (Phantoms)	EFC Digits	Device Style	Device Offset	Signature	Still made	Year	Region	Revision Package	Similar model	JP1er
15-100	RS	8-in-1 Remote	Holes*	JP1.3	Yes	No	S3F80	5k	Yes	Yes	Yes	Yes	Yes	Yes	8	5	5		30603060	No	2008	America			
15-133	RS	5-in-1 Gamer	Yes	JP1.3	Yes	No	S3F80	5k	Yes	Yes	Yes	Yes	Yes	Yes	8	5	5		30853085	No	2008	America			Dave
15-134	RS	5-in-1 Satellite	Yes	JP1.3	Yes	No	S3F80	5k	Yes	Yes	No	Yes	Yes	Yes	5 (3)	5	5		30853085	No	2008	America			Dave
15-135	RS	7-in-1 HDTV	Yes	JP1.3	Yes	No	S3F80	5k	Yes	Yes	No	Yes	Yes	Yes	7 (1)	5	5		30853085	No	2008	America			Dave
15-1918	RS	6-in-1 AV	6 wire	JP1	No	Yes	6805	1k	Yes	Yes	thru 15-1925	No	No	No	6	3	4		O80A/O80C	No		America			Tommy
15-1919	RS	6-in-1 RF	6 wire	JP1	No	Yes	6805	1k	Yes	Yes	thru 15-1925	No	No	No	6	3	4		O80A/O80C	No		America			
15-1925	RS	6-in-1 RF	Yes	JP1	No	Yes	6805	1k	Yes	Yes	Yes	No	No	No	6	3	4		O80A/O80C	No		America	URC7070?		BandHan
15-1934	RS	7-in-1	Yes	JP1	No	No	740	2k	Yes	Yes	thru 15-1995	No	No	No	7	3	4		RS00RS00	No		America	15-1935		
15-1935	RS	7-in-1 RF	Yes	JP1	No	No	740	2k	Yes	Yes	thru 15-1995	No	No	No	7	3	4		RS00RS00	No		America	15-1934		
15-1991	RS	4-in-1	No		No	No	S3C80	1k	No	No	No	No	No	No	4	3	4			No		America			
15-1992	RS	4-in-1 Light Up	No		No	No	S3C80	1k	No	No	No	No	No	No	4	3	4			No		America			
15-1993	RS	4-in-1 Smart	Stereo		Yes	No	S3C80	2k	Yes	Yes	thru 15-1994	No	Yes	Yes	4	3	4			No		America			
15-1994	RS	6-in-1 Smart	Yes	JP1	Yes	No	S3C80	2k	Yes	Yes	Yes	No	Yes	Yes	6	3	4		RSL6RSL0	No		America	URC7800		Rob/Mark?
15-1995	RS	7-in-1 RF	Yes	JP1	No	No	740	2k	Yes	Yes	Yes	No	Yes	Yes	7	3	4		RS70RS70	No		America			
15-2102	RS	4-in-1 Light up	Stereo		No	No	S3C80+	1k	Yes	Yes	No	No	No	No	4	3	4		RS4ARS40	No		America			David
15-2103	RS	5-in-1 Learning light up	6 wire	JP1	Yes	No	S3C80+	1k/2k	Yes	Yes	Yes	No	Yes	No	5	3	4		RS50RS50	No		America			Jim
15-2104	RS	6-in-1 Home Theater	Yes	JP1	Yes	No	S3C80+	2k	Yes	Yes	Yes	No	Yes	Yes	6	3	4		R6H0R6H0	No		America			
15-2107	RS	8-in-1 Touch screen	Yes	JP1	Yes	No	S3C80+	2k	Yes	Yes	Yes	No	Yes	No	8	3	4		RTS0RTS0	No		America			
15-2116	RS	8-in-1 Remote	Yes	JP1	Yes	No	S3C80+?	2k	Yes	Yes	Yes	No	Yes	Yes	8	3	4		RSL1RSL1	No		America			Rob
15-2117	RS	8-in-1 Remote/RF	Yes	JP1	Yes	No	S3C80+?	2k	Yes	Yes	Yes	No	Yes	Yes	8	3	4		RSL1RSL1	No		America			
15-2133	RS	6-in-1 Kameleon	Holes*	JP1	Yes	Yes	S3C80+?	2k	Yes	Yes	Yes	Yes	Yes	Yes	6	3	4		RSFFRSF0	No		America	URC8060		
15-2136	RS	4-in-1 Kameleon	No		No	No	S3C80+?	512b	No	No	No	No	No	No	4	3	4			No		America			
15-2137	RS	6-in-1 Kameleon	??	JP1.??			HCS08??								6	5	4			No		America			
15-2138	RS	8-in-1 Kameleon	Pads	JP1	Yes	No?	S3C80+?	2k	Yes	Yes	Yes	??	Yes	Yes	8	3	4		RS80RS80	No		America			
15-2144	RS	4-in-1 Kameleon	Yes	JP1.2	No	No	HCS08	1k	No	No	No				4	5	4		10101010	No		America	URC6132BJ0		
15-2146	RS	6-in-1 Easy set-up voice remo	Pads	JP1.??			HCS08??								6	5	4			No		America			
Anthem Audio	Anthem		Yes	JP1	Comment	No	S3C80	2k	Yes	Yes	Yes	No	Yes	No	8	3	4		OEM4OEM0	No		America	Outlaw		
Arcam CR100	Arcam		Yes/Comment	JP1.3	Yes	No	HCS08	8k	Yes	Yes	Yes					5	4		11411141	Yes	2008	America			
Arcam CR80	Arcam		Yes	JP1	Comment	No	S3C80	2k	Yes	Yes	Yes	No	Yes	No	8	3	4		OEM4OEM0	No		America	Outlaw		Mark Grady
Atlas 5 PVR Day	UEI	URC-1055	Yes	JP1.2	Comment	No	HCS08	4.5k	Yes	Yes	Yes		Yes	Yes	5	5	4		10251025	Yes		America	1055,11055		
Atlas 5 PVR Day 3000	UEI	URC-1055	Yes	JP1.3	Comment	No	S3F80	5k	Yes	Yes	Yes		Yes	Yes	5	5	5		30003000	Yes		America	1055,11055		Calimero
Atlas 5 PVR Day 3032	UEI	URC-1055	Yes	JP1.3	Comment	No	S3F80	5.25k	Yes	Yes	Yes		Yes	Yes	5	5	4		30323032	Yes	2007	America	1055,11055		
Atlas 5 PVR Day 3033	UEI	URC-1055	Yes	JP1.3	Comment	No	S3F80	5k	Yes	Yes	Yes		Yes	Yes	5	5	4		30333033	Yes	2007	America	1055,11055		
Atlas Cable 4	UEI	Cable 4 Device	Yes	JP1	No	No	S3C80	1k	Yes	Yes	Yes	??	No	No	4	3	4		ATL0ATL0	No		America	4AXXX,B00		Jim H.
Atlas DVR OCAP	UEI	URC-1056	Yes	JP1.3	Comment	No	S3F80	5k	Yes	Yes	Yes		Yes	Yes	5	5	4		30333033	Yes	2007	America	1056		
Atlas DVR/PVR 5	UEI	URC-1054	Yes	JP1	No	No	S3C80	1k/2k	Yes	Yes	Yes	??	Yes	Yes	5	3	5		SA_7SA_7	Yes		America	1054		Mike
Ayre	Ayre		Yes	JP1	Comment	No	S3C80	2k	Yes	Yes	Yes	No	Yes	No	8	3	4		OEM4OEM0	No		America	Outlaw		
Balboa URC-9810	Balboa	Dolphin Remote	Yes	JP1	Yes	No	S3C80+?	2k	Yes	Yes	Yes	??	No	No	7	3	4		BAL0BAL0	No		America	URC9810		Rob
Catalyst 48 URC-48C20	OFA		Yes	JP1.2	No	No	HCS08	5k	Yes	Yes	No					5	4		10531053	Yes	2008	America			
Charter C4000 OCAP	Charter	C4000	Yes	JP1.3	No	No	S3F80	3k	Yes	Yes	No					5	4		30653065	Yes	2008	America	S4000		Dave
Comcast 1057BG0	Comcast	1057BG0	Yes	JP1.1	No	No	SST	512b							3	5	4		CS300103	Yes		America			
Comcast 1057BG1	Comcast	1057BG1	Yes	JP1.2	No	No	HCS08	1k	Yes	Yes	Yes		Yes	Yes	3	5	4		CS301009	Yes		America			
Comcast 1058	Comcast	URC-1058	Yes	JP1.1	No	No	SST	512b	Yes	Yes	Yes				3	5	4		CS300103	Yes		America			
Comcast 1067BG0	Comcast	URC-1067	Yes	JP1.1	No	No	SST	1k	Yes	Yes	Yes		Yes	Yes	3	5	4		CS301009	Yes		America			TJ
Comcast 1068	Comcast	URC-1068	Yes	JP1.1	No	No	SST	512b	Yes	Yes	Yes				3	5	4		CS300105	Yes		America			
Comcast 1068B	Comcast	URC-1068B	Yes	JP1.2	No	No	HCS08	1k	Yes	Yes	Yes				3	5	4		CS301009	Yes		America			
Comcast DVR 1067Bx3	Comcast	URC-1067Bx3	Yes	JP1.3	No	No	S3F80	3k	Yes	Yes	Yes			Yes	3 (1)	5	5		30393039	Yes	2007	America			TJ
Conrad MF350 (355RF)	Conrad	MF 350 /355RF	??		Yes	Yes	6805	2k	Yes	Yes	Yes					3	4		BLUABLU0	Yes		Europe			Hummbie/Chris
Cox 7820	Cox	URC-7820	???	JP1.2	No	No	HCS08	1k	Yes	Yes	Yes					5	4		10431043	Yes	2007	America			
Cox 7820B	Cox	URC-7820B	???	JP1.3	Yes	No	S3F80	5k	Yes	Yes	Yes				4 (1)	5	4		30463046	Yes	2008	America			
Cricket	Cricket	Kids remote	???	JP1.3	No	No	S3F80	2k	Yes	Yes	Yes				2	5	4		30383038	Yes	2007	America			
DCP501R V0	Motorola	DCP510 HT Remote			No	No	S3C80+?	1k	Yes	Yes	Yes	??	Yes	Yes		3	4		MGRAMGR0	No		America			
DCP501R V1	Motorola	DCP510 HT Remote			No	No	S3C80+?	1k/2k	Yes	Yes	Yes	??	Yes	Yes	5	3	4		MGRAMGR1			America			
DirectTV	DirectTV	DirectTV V1	??		No	No	6805	1k	Yes	Yes	Yes	No	No	No			4		DTV0/DTV0			America			Shane
DirectTV	DirectTV	DirectTV V2	??		No	No	6805	1k	Yes	Yes	Yes	No	No	No			4		DTV1/DTV1			America			Shane
DRC-400	General Ins	Cable Remote	Yes	JP1	No	No	S3C80	1k ?	Yes	Yes	Yes	No	No	No		3	4		GIDAGID0			America			
DRC-400 (425)	Motorola		Yes	JP1	No	No	S3C80	512b	Yes	Yes	Yes	No	No	No	4	3	4		G12KG2K0			America	DRC-425		
Dreambox 702x v4	Dreambox	V4	Yes	JP1.2	Yes	No	HCS08	7k	Yes	Yes	Yes				3	5	5	30	10381038	Yes	2007	Europe	BJ0	Force	Starpox
Dreambox DM7000	Dreambox		Yes	JP1	No	No	S3C80	1k	Yes	Yes	Yes	No	No	No	3 (1)	3	4	30	ETPSTPS0			Europe	Force		Starpox

Model	Brand	Name	JP1 Connector	Cable	Learning	Modem upgrade	Processor	EEPROM	IR	RM	KM	> 2k Support	Protocol	Extender	Devices (Phantoms)	EFC Digits	Device Style	Device Offset	Signature	Still made	Year	Region	Revision Package	Similar model	JP1er
Dreambox DM8000	Dreambox	V5	Yes	JP1.2	No	No	HCS08	5k	Yes	Yes	No					5	4		10691069	Yes	2008	Europe			Alain
Dreambox keyboard	Dreambox		??		No	No	S3C80+?	1k	Yes			??	No	No		3	4	30	ESPBESP2			Europe			
Dreambox v2	Dreambox	V2	Yes	JP1	Yes??	No	S3C80	2k	Yes	Yes	Yes	??	No	No	3	3	4	30	OLVAOLV0			Europe		Force 2	Benoît
Dreambox v3	Dreambox	V3	Yes	JP1	Yes??	No	S3C80	2k	Yes	Yes	Yes	??	No	No		3	4		OUKAOUK1			Europe			
Explorer	Sc Atl	AT2000	Yes	JP1	No	No	6805	1k	Yes	Yes	Yes		No	No		3	4		SA40/SA40	??					
Explorer 3	Sc Atl	ER1	Yes	JP1	No	No	6805	1k	Yes	Yes	Yes		No	No		3	4		ER10/ER10						
Force Remote	Force		Yes	JP1	No	No	S3C80	2k	Yes	Yes		No	No	No	3 (1)	3	4		ETPSTPS0			Europe			Dreambox
Force Remote 2	Force		Yes	JP1	Yes??	No	S3C80	2k	Yes	Yes	Yes	??	No	No	3	3	4		OLVAOLV0			Europe			Dreambox V2
Gateway	Gateway	TV Remote 8509153	Yes	JP1	Yes	No	S3C80+?	2k	Yes	Yes	No		No	No		3	4		CA48C480			America			Catalyst 48
HTPro	OFA	HTPro	Yes	JP1	Yes	Yes	S3C80	2k	Yes	Yes	Yes	No	Yes	Yes	8 (7)	3	4		CPT0CPT0			America			URC9910
Insignia 67100	Insignia	NS-RC01G-09/RC02U-10A	Yes	JP1.3	Yes	No	S3F80	3k	Yes	Yes	No	Yes	No	No	4 (4)	5	5		31473147	Yes	2009	America	BA1		binky
Intuitive 31xx	UEI	Intuitive	??		No	No	6805	1k	Yes	Yes	Yes	No	No	No		3	4		INTU/INT1				31XXX, B01		Kent
Jensen JR800	Jensen	JR800	??		Yes	No	S3C80	1k	Yes	Yes	Yes	No	No	No		3	4		REC0REC0	Yes		America			
Klipsch	Klipsch	Klipsch	??		Yes	No	S3C80	2k	Yes	Yes	Yes					3	4		KLI0KLI0						
Maestro II	UEI	Next Level	Yes	JP1	No	No	740	1k	Yes	Yes	Yes	No	Yes	No		3	4		G197G197						
Millenium 3	UEI	Millenium 3	Yes	JP1	No	No	S3C80	1k	Yes	Yes	Yes	No	Yes	No		3	4		ML30ML30						
Millenium 4	UEI	Millenium 4	Yes	JP1	No	No	S3C80	1k	Yes	Yes	Yes	No	Yes	No		3	4		MIL0MIL0				B00, B01, B03, B04, BJ8		
Mundial 4	Mundial	Mundial 4	Yes	JP1	No	No	S3C80	2k	Yes	Yes	Yes					3	4		LATLLAT0					414XX	
Navigator 43xx	Uniwand (U	Navigator	Yes	JP1	No	No	6805	1k	Yes	Yes	Yes	No	No	No		3	4		CA00				B01		
Navigator 44xxB00	UEI	Navigator	Yes	JP1	No	No	6805 ?	1k	Yes	Yes	Yes	No	No	No		3	4		CYC0/CYC0				B00		
Navigator 44xxB02+	UEI	Navigator	Yes	JP1	No	No	6805	1k ?	Yes	Yes	Yes	No	No	No		3	4		CYC1/NAV0				B02, B04	51XXX ?	
Outlaw 990	Outlaw Audi	990	??		No	No	S3C80	2k	Yes	Yes	Yes					3	4		CA48C480			America			
Outlaw Audio	Outlaw Audi	1050 Receiver	Yes	JP1	Comment	No	S3C80	2k	Yes	Yes	Yes	No	Yes	No	8	3	4		OEM4OEM0			America	Old,new		Anthem
Princeton Graphics			??		No	No	S3C80	1k	Yes	Yes	No	No	No	No		3	4		PRNAPRN0						
R0720	Kenwood		Yes	JP1	No	No	S3C80	1k	Yes	No	No	No	No	No		3	4		GEM8GEM0			America			Outlaw?
R0805 (VR 507?)	Kenwood		Yes	JP1	No	Yes	S3C80	1k	Yes	Yes	No	No	No	No	8	3	4		OEM8OEM0						
R0905	Kenwood		Yes	JP1	No	Yes	6805?	1k	Yes	No	No	No	No	No		3	4		KWRV/????						
RCRP05B	RCA		Yes	JP1.3	Yes	No	S3F80	5k	Yes	Yes	No	Yes	No	No	5 (3)	5	5		31793179	Yes	2009	America			Bill
RCU810	RCA	RCU 810	Holes	JP1	Yes	No	S3C80+	2k	Yes	Yes	Yes	No	Yes	Yes	8	3	4	17	TCE0TCE0				RCU810B		
REM400	Philips	Gemini DSS	6 wire	JP1	Yes	No	S3C80	2k	Yes	Yes	Yes	No	Yes	No	6	3	4	29	DSS0DSS0				B00, B01		Tommy
Replay Remote	Panasonic	Showstopper	Yes	JP1	No	No	S3C80	1k	Yes	Yes	Yes	No	Yes	No		3	4		OEM3OEMx			America	Version 1,2		
Replay TV 5000	Sonic Blue		Yes	JP1	No	No	S3C80+	1k	Yes	Yes	Yes	No	No	Yes	2	3	4		SBPASBP0			America	B00, B01		
ReplayTV	Sonic Blue	2000/3000/Showstopper	Yes	JP1.3	No	No	S3C80	4k	Yes	Yes	No	Yes	No	No	2	5	4		BINOBJ	Yes	2009	America			
Russound Remote	Russound		??		Yes	No	S3C80+	2k	Yes	No	No	No	Yes	Yes		3	4		RUS0RUS0						pcorpe
Scout	UEI	Scout cable remote	Yes	JP1	No	No	6805	0.5/1k/2k	Yes	Yes	Yes	No	No	No		3	4		SCOU/SCO0			America			
Sky Remote	Sky	Digibox Remote	Holes	JP1	No	??	6805	Pads	Yes	Yes	Yes	No	No	No		3	4		BSKY/SKY0			UK			Mark Peppe
Sky Remote	Sky		Holes	JP1	No	??	6805	Pads	No	No	No	No	No	No		3	4		SKYA/SKY0			UK			
Sky Remote+ V6	Sky		6 wire	JP1	No	??	??	Pads	No	No	No	??	No	No		3	4		BS03BS30			UK			
Slingbox JU	Sling Media		Comment				S3C80+	2k?		Yes					1	3	4		BINJU	Yes		America			
Slingbox PK	Sling Media		Comment				S3C80+	2k		Yes					1	3	4		BINPK	Yes		America			Rob
Slingbox PL	Sling Media		Comment				S3C80+	2k?		Yes					1	3	4		BINPL	Yes		America			
Slingbox RV	Sling Media	PAL Version	Comment				S3C80+	2k		Yes					1	3	4		BINRV	Yes		Europe			Rob
Slingbox w/ Axum Chip	Sling Media		Comment		No	No	S3F80	4k	Yes	Yes	No	Yes	No	No	1	5	4		BINAxum	Yes	2009	America			
TCP6	Crest	Total Control Platinum	Yes	JP1	Yes	??	S3C80+	2k	Yes	Yes	Yes	No	Yes	Yes		3	4			No		America		URC7560	Phil
TiVo RMT-V303	Sony	TiVo RMT-V303	6 wire	JP1	Yes	No	S3C80	1k	Yes	Yes	Yes	No	Yes	Yes	3	3	4		TIVOTIV0			America	B01		Hal
TiVo RMT-Y809	Sony	DirectiVo RMT-Y809	??		Yes	No	S3C80	1k	Yes	Yes	Yes	??	Yes	Yes	3	3	4		STV2TV20			America	B00		Hal
Toshiba CT-90047	Toshiba	CT-90047	Yes	JP1	No	No	S3C80	128b	Yes	Yes	Yes		No	No	7	3	4	19	T6D0T6D0			America			tmskine
URC-10820	OFA	10 Device with learning	Yes	JP1.2	Yes	No	HCS08	4k	Yes	Yes	Yes		Yes	Yes	10	5	4		10631063	Yes	2006	America			Rob
URC-10820N	OFA	10 Device with learning	Yes	JP1.3	Yes	No	HCS08	4k	Yes	Yes	Yes	Yes	Yes	Yes	10	5	4		11781178	Yes	2009	America			
URC-2050	OFA		Yes	JP1.3	No	No	S3C80	2k	Yes	Yes	No	No	No	No	5	5	4		30043004	Yes	2009	America			binky
URC-2575	OFA	Sport/Soccer	Holes	JP1	No	No	S3C80?	??	No	No	No	??	No	No		3	4			No		Europe			
URC-2585	OFA	Big easy 4	??		No	No	6805	1k	Yes	No	No	No	No	No	4	3	4		SER0/????	No		America			worel
URC-2910	OFA	Charter DVR	Yes	JP1	No	No	S3C80	1k								3	4		DIG0DIG0	Yes	2007	America	B01		
URC-3440	OFA	OFA 4	Holes	JP1	No	No	S3C80+	Pads	Yes	Yes	No	No	No	No	4	3	4		ECL0ECO0	No		Europe	B00		
URC-39860 B00	OFA		Yes	JP1.2	Yes	No	HCS08	6k	Yes	Yes	Yes					5	4		10181018	Yes	2007	Europe	B00		
URC-39860 B00-02	OFA		Yes	JP1.3	Yes	No	HCS08	6k	Yes	Yes	No	Yes	No	No	3	5	4		10181018	Yes	2009	America	B00-02		
URC-39895	Pace	DStv HD PVR	Yes	JP1.3	Yes	No	S3F80	9k	Yes	Yes	No	Yes	No	No	6	5	5		30483048	Yes	2009	America			Rob
URC-4080 (4081/4082)	OFA	Video Expert	Stereo		No	No	S3C80?	Pads	Yes	Yes	Yes	No	Yes	No	4	3	4		HVC0HVC0	No		America	4081/4082	URC8550	Jim
URC-4393	OFA	Charter Communications	Yes	JP1	No	No	S3C80	1k								3	4		UMIAUMI0	Yes	2007	America	B0		



Model	Brand	Name	JP1 Connector	Cable	Learning	Modem upgrade	Processor	EEPROM	IR	RM	KM	> 2k Support	Protocol	Extender	Devices (Phantoms)	EFC Digits	Device Style	Device Offset	Signature	Still made	Year	Region	Revision Package	Similar model	JP1er
URC-8800	OFA	AV Producer 8	Yes	JP1	Not IR	No	740	2k	Yes	Yes	Yes	No	Yes	Yes	8	3	4		HUD0HUD0	No		America		URC9800	
<u>URC-8811 (8810w)</u>	OFA	OFA 8 Dev	Yes	JP1	Yes	No	S3C80+	2k	Yes	Yes	Yes	Yes	Yes	Yes	8	3	4		6_806_80	Yes		America	8810w		Warohs
<u>URC-8820</u>	OFA	8 Device with learning	Yes	JP1.2	Yes	No	HCS08	4k	Yes	Yes	Yes		Yes	Yes	8	5	4		10631063	Yes	2006	America			Greg
<b>URC-8820N</b>	OFA	8 Device with learning	Yes	JP1.3	Yes	No	HCS08	4k	Yes	Yes	Yes	Yes	Yes	Yes	8	5	4		11781178	Yes	2009	America			
<u>URC-8910 (8911)</u>	OFA	OFA 8 Dev LCD	Yes	JP1	Yes	Yes	S3C80+	2k	Yes	Yes	Yes	No	Yes	Yes	8 (7)	3	4		CPT0CPT0	No		America	8911	URC9910	Ted
<u>URC-9040</u>	OFA	OFA PC Media Remote	???	JP1.2	Yes	Yes	HCS08??									5	4			Yes		Europe			
URC-9800	OFA	Home Producer 8	Yes	JP1	Not IR	No	740	2k	Yes	Yes	Yes	No	Yes	Yes	8	3	4		HUD0HUD0	No		America		URC8800	
<b>URC-9810</b>	Balboa	Balboa Dolphin II	Yes	JP1.3	Yes	No	S3C80	4k	Yes	Yes	No	Yes	No	No	7	5	4		BAL0BAL0	Yes	2009	America			
URC-9900	OFA	Director	No		No	Yes	S3C80+?	2k	Yes	Yes	Yes	No				3	4		USM0USM0	No		America		URC9950	
<u>URC-9910 (9911)</u>	OFA	OFA 8 Dev RF LCD	Yes	JP1	Yes	Yes	S3C80+	2k	Yes	Yes	Yes	No	Yes	Yes	8 (7)	3	4		CPT0CPT0	No		America	9911	8910, HTPro	
URC-9950	OFA	Mosaic	No		No	Yes	S3C80+?	2k	Yes	Yes	Yes	No				3	4		USM0USM0	No		America		URC9900	
<u>URC-9960 (9962/9964)</u>	OFA	Kameleon 8 Dev LCD	<u>Pads</u>	<u>JP1</u>	Yes	Yes	S3C80+	2k	Yes	Yes	Yes	Yes	Yes	Yes	8	3	4		NAK0NAK0	Yes		America	9964/9962		Rob
<u>URC-9960 B01</u>	OFA	Kameleon 8 Dev LCD	<u>Pads</u>	<u>JP1</u>	Yes	Yes	S3C80+	4k	Yes	Yes	Yes	Yes	Yes	Yes	8	5	4		KASAKAS0	Yes	2006	America	B01		Rob
<u>URC-9960 BJ5</u>	OFA	Kameleon 8 Dev LCD	<u>Pads</u>	<u>JP1</u>	Yes	Yes	S3C80+?	4k	Yes	Yes	Yes	Yes			8	3	4		SAKAS0	Yes		America	9964/9962		Rob
<u>URC-9990</u>	OFA	Mosaic	No		No	Yes	S3C80+?	1k	Yes	Yes	Yes	No	Yes	No		3	4		EML2	No		Europe		URC9950	
Velodyne SMS-1	Velodyne		Yes	JP1	No	No	S3C80	1k	Yes	Yes	Yes	No	Yes	No		3	4		OEM3OEMx			America	Version 1,2		
<u>Vizio Remote</u>	Vizio	Remote 66700	<u>Pads</u>	<u>JP1.2</u>	Yes	No	HCS08	2k	Yes	Yes	Yes	Yes	No	No		5	4		10331033	Yes	2007	America			Cy
<u>Vizio Remote JP1.3</u>	Vizio	Remote 66700 ABA	???	JP1.3	Yes	No	S3F80	5k	Yes	Yes	Yes	Yes	No	No		5	5		30023002	Yes	2007	America			
<u>Vizio VUR8</u>	Vizio	VUR8 6100	Yes	JP1.3	Yes	No	S3F80	5k	Yes	Yes	Yes	Yes	No	No	4 (4)	5	5		30273027	Yes	2007	America			
ZapStation	ZapStation		Yes	JP1	<u>Comment</u>	No	S3C80	2k	Yes	Yes	Yes	No	Yes	No	8	3	4		OEM4OEM0			America		Anthem	

- Version 25.1  
3/11/2010
- Notes**
- Not IR** Has learning capabilities, but the learned codes can not be displayed by IR through the JP1 interface (they are stored in a separate EEPROM). Adding an extra stereo interface makes that EEPROM reachable for IR.
  - Holes** Does not have a JP1 male connector, but has mounting holes, making it relatively easy to add a connector. An \* means that the holes are located under the battery container, making it harder to get them connected
  - Pads** Does not have a JP1 male connector, but has pads that can be used with a pogo pin adapter. JP1.1, JP1.2 or JP1.3 connector
  - 6 wire** Does not have a JP1 male connector, neither mounting holes, but a connector can be added by a skilled person by soldering 6 wires to the same components as remotes that have a connector and cutting a hole in the case to make room for the connector.
  - Stereo** Does not have a JP1 male connector, neither mounting holes, nor a reachable RESET circuitry but a connector can be made by a (very) skilled person by soldering wires, cutting traces on the board and building a special interface cable (stereo jack) according to Tommy Tyler's method (<http://groups.yahoo.com/group/jp1/files/Hardware/15-1993%20Instructions.doc>) Depending on the considered remotes, easier alternative versions of this interface are possible, requiring cutting less or no traces
  - Still available**
  - Devices (Phantoms)** Number of devices with any additional phantom devices shown in parentheses.
  - Devices Style** Setup code style: Either 5 digit, where the most significant digit represents the device type or 4 digits where the device type is determined by pressing the appropriate device button. Device types: 0 = CBL/SAT, 1 = TV, 2 = DVD/VCR, 3 = Audio

Model	Comments	949	968	970	971	972	973	974	975	976	977	978	979	980	981	982	983	984	985	986	988	987	989	990	991	992	993	994	995	996	997	998				
15-100									Y	Y	Y		Y	Y	Y								Y	Y	Y	Y	Y	Y								
15-133									Y	Y	Y			Y	Y									Y	Y	Y	Y	Y	Y							
15-134									Y	Y	Y			Y	Y									Y	Y	Y	Y	Y	Y							
15-135									Y	Y	Y		Y	Y	Y									Y	Y	Y	Y	Y	Y							
15-1918				?																																
15-1919				?																																
15-1925				?																																
15-1934				?																																
15-1935				?																																
15-1991				?																																
15-1992				?																																
15-1993				?																																
15-1994				Y					Y	Y				Y	Y									Y	Y	Y	Y	Y	Y	Y						
15-1995				?																																
15-2102	Does not support upgrades			?																																
15-2103	Versions with 1k and 2k EEPROM are reported			Y					Y	Y	Y			Y	Y									Y	Y	Y	Y	Y	Y	Y						
15-2104				Y					Y	Y	Y		Y	Y	Y									Y	Y	Y	Y	Y	Y	Y						
15-2107									Y	Y			Y	Y	Y										Y		Y	Y	Y	Y						
15-2116																																				
15-2117																																				
15-2133									Y	Y	Y	Y		Y	Y									Y	Y	Y	Y	Y	Y	Y	Y					
15-2136									Y	Y	Y	Y		Y	Y									Y	Y	Y	Y	Y	Y	Y	Y					
15-2137																																				
15-2138																																				
15-2144	Does not support upgrades																																			
15-2146																																				
Anthem Audio	Can be modified to use learning / Based on catalyst 48								Y	Y				Y	Y	Y						Y		Y	Y	Y	Y	Y	Y							
Arcam CR100	Plugin JP1.3 connector disconnects batteries																																			
Arcam CR80	Can be modified to use learning / Based on catalyst 48																																			
Atlas 5 PVR Day	learning							Y		Y	Y	Y		Y	Y	Y	Y		Y	Y		Y	Y	Y	Y	Y	Y	Y	Y							
Atlas 5 PVR Day 3000	learning									Y				Y	Y									Y	Y	Y	Y	Y	Y	Y	Y					
Atlas 5 PVR Day 3032	learning									Y				Y	Y									Y	Y	Y	Y	Y	Y	Y	Y					
Atlas 5 PVR Day 3033	learning									Y				Y	Y									Y	Y	Y	Y	Y	Y	Y	Y					
Atlas Cable 4												Y		Y	Y									Y	Y	Y	Y	Y	Y	Y						
Atlas DVR OCAP	Silver model has learning, not black one							Y				Y		Y	Y	Y								Y	Y	Y	Y	Y	Y	Y						
Atlas DVR/PVR 5	Remote does not support EFC style 994 keymoves										Y			Y	Y									Y	Y	Y	Y	Y	Y	Y						
Ayre	Can be modified to use learning / Based on catalyst 48								Y	Y				Y	Y	Y						Y		Y	Y	Y	Y	Y	Y							
Balboa URC-9810				?																																
Catalyst 48 URC-48C20																																				
Charter C4000 OCAP															Y	Y								Y	Y	Y	Y	Y	Y	Y						
Comcast 1057BG0																																				
Comcast 1057BG1								Y			Y			Y	Y	Y	Y							Y	Y	Y	Y	Y	Y							
Comcast 1058																																				
Comcast 1067BG0																																				
Comcast 1068																																				
Comcast 1068B																																				
Comcast DVR 1067Bx3								Y	Y			Y		Y	Y	Y	Y	Y						Y	Y	Y	Y	Y	Y							
Conrad MF350 (355RF)	URC 11-4282 B00, 11-4281B00			?																																
Cox 7820																																				
Cox 7820B																																				
Cricket																																				
DGP501R V0																																				
DGP501R V1																																				
DirectTV				?																																
DirectTV				?																																
DRC-400				?																																
DRC-400 (425)				?																																
Dreambox 702x v4	URC-39930			Y					Y	Y				Y	Y	Y								Y	Y	Y	Y	Y	Y							
Dreambox DM7000	URC-39711 B00-02			Y					Y	Y				Y	Y	Y								Y	Y	Y	Y	Y	Y							





Model	Comments	949	968	970	971	972	973	974	975	976	977	978	979	980	981	982	983	984	985	986	988	987	989	990	991	992	993	994	995	996	997	998
URC-8800			?																													
<u>URC-8811 (8810w)</u>			?																													
<u>URC-8820</u>									Y	Y				Y	Y	Y							Y	Y	Y	Y	Y	Y	Y	Y		
<b>URC-8820N</b>									Y	Y				Y	Y	Y							Y	Y	Y	Y	Y	Y	Y	Y		
URC-8910 (8911)	Revision B00 = donut ring, B01 = arrows keys		?																													
<u>URC-9040</u>																																
URC-9800			?																													
<b>URC-9810</b>			?																													
URC-9900																																
<u>URC-9910 (9911)</u>	Revision B00 = donut ring, B01 = arrows.		?																													
URC-9950																																
<u>URC-9960 (9962/9964)</u>			?																													
<u>URC-9960 B01</u>			?																													
<u>URC-9960 BJ5</u>			?																													
<u>URC-9990</u>																																
Velodyne SMS-1	Based on catalyst 34 ? Also OEM3OEM1, OEM3OEM2											Y		Y	Y	Y						Y	Y	Y	Y	Y	Y					
<u>Vizio Remote</u>			?																													
<u>Vizio Remote JP1.3</u>			?																													
<u>Vizio VUR8</u>			?																													
ZapStation	Can be modified to use learning / Based on catalyst 48		?																													

Version 25.1

3/11/2010

**Link to Manual or Codes**

Underlined entries

**Updated**

***Bold - Italics*** entries

**Added**

**Bold** entries

**949** Reset? Testing?

**968**

**970** Toggle sleep timer simulation

**971** Toggle CH+/CH- simulation

**972**

**973** Channel lock

**974** EL Brightness Adjustment

**975** Learn

**976** Delete learn

**977** Clear (more than 980, less than 981)

**978** EL Time On / Device Specific Macro

**979** Home Theater setup

**980** Clear (factory reset)

**981** Full Manufacturer reset

**982** Toggle device code lock

**983** Blink back signature

**984**

**985**

**986** Update E2 serial number

**987** Assign OEM device code

**988** Save E2 kmm page

**989** Blink back E2 serial number

**990** Code blink out

**991** Code search

**992** Device key redefine

**993** Volume punch through device or flags

**994** Key move

**995** Macro setup

**996** Fav scan setup

**997** Phone upgrade

**998** Select device code among downloaded ones